Safety Data Sheet

Ethanol, Denatured, 95%

Section 1	Product Description
Product Name: Recommended Use:	Ethanol, Denatured, 95% Science education applications
Synonyms:	Alcohol, Ethyl alcohol
Supplier:	C2A Sales & Supplies (Barbados) Ltd. #3 Canewood Road, Jackson, St. Michael, Barbados BB11005 1-246-426-1256
Section 2	Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



DANGER

Highly flammable liquid and vapor. May cause damage to organs.

GHS Classification:

Flammable Liquid Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2

Other Safety Precautions:

Steps to Take in Case Material Is

Released or Spilled:

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Section 3		Composition / Inform	ation on Ing	redients
<u>Chemical Name</u> Ethyl alcohol Water Isopropyl Alcohol Methanol			<u>CAS #</u> 64-17-5 7732-18-5 67-63-0 67-56-1	<u>%</u> 85.9 5 4.8 4.3
Section 4		First Aid	Measures	
Emergency and First A Inhalation: Eyes: Skin Contact: Ingestion:	In case of accid In case of conta After contact wit	ent by inhalation: remove casualty ct with eyes, rinse immediately wit h skin, wash immediately with pler not induce vomiting: seek medical	h plenty of water an nty of water.	d seek medical advice.
Section 5		Firefighting P	rocedures	
Extinguishing Media: Fire Fighting Methods a	and Protection:	Use dry chemical, CO2 or appro Firefighters should wear full prote breathing apparatus.	•	nd NIOSH approved self-contained
Fire and/or Explosion H Hazardous Combustion		Fire or excessive heat may prod Carbon dioxide, Carbon monoxid		omposition products.
Section 6		Spill or Leak Proce	edures	
Ethanol, Denature	d, 95%			Page 1 of 4
		Safety Data Sl	heet	

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away.

Ventilate the area by opening door and/or turning on fans and blowers. Use an inert

absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7	Handling and Storage
Handling:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting// equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Storage:	Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed in a cool, wellventilated place.
Storage Code:	Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.
Section 8	Protection Information

Protection Information

	<u>ACC</u>	<u>SIH</u>	OSHA PEL	
Chemical Name	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>
Ethyl alcohol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A
Isopropyl Alcohol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA	N/A
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m3 TWA	N/A
Control Parameters				
Engineering Measures:	Local exhaust ventilation handling or using this p	•	g controls are normally req xposure.	uired when
Personal Protective Equipment (PPE): Respiratory Protection:	Lab coat, apron, eye w	ash, safety shower.		
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.			
Eye Protection:	Wear chemical splash goggles when handling this product. Have an eye wash station available.			
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work			exposed areas
Gloves:	Nitrile			

Section 9

Physical Data

Formula: CH3CH2OH	Vapor Pressure: 57.3 hPa at 20°C
Molecular Weight: (Ethanol) 46.07	Evaporation Rate (BuAc=1): 3.3
Appearance: Colorless Liquid	Vapor Density (Air=1): 1.6
Odor: Moderate Alcohol Odor	Specific Gravity: (Ethanol) 0.789 at 20 °C
Odor Threshold: No data available	Solubility in Water: Soluble
pH: No data available	Log Pow (calculated): -0.32
Melting Point: -114 C	Autoignition Temperature: 363 C
Boiling Point: 79 C	Decomposition Temperature: No data available
Flash Point: 17 C	Viscosity: No data available
Flammable Limits in Air: 3.3 - 19% (Ethanol)	Percent Volatile by Volume: 95%

Section 10 **Reactivity Data** Reactivity: Not generally reactive under normal conditions. **Chemical Stability:** Stable under normal conditions. **Conditions to Avoid:** Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Incompatible Materials: Water-reactive materials, Strong oxidizing agents, Acids, Strong reducing agents, Magnesium

Safety Data Sheet

Hazardous Decomposition Products: Hazardous Polymerization: Carbon dioxide Will not occur

Thazardous i olymenz					
Section 11		Toxicit	ty Data		
Routes of Entry Symptoms (Acute):	Inhalation and ing Respiratory Irritatior	estion. n, Dermititis, Central Ne	ervous System Depres	sion	
Delayed Effects:	Liver disorders				
Acute Toxicity: Chemical Name		CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water		7732-18-5	Oral LD50 Rat 90000 mg/kg		
Isopropyl Alcohol		67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol		67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm
Carcinogenicity: Chemical Name		CAS Number	IARC	NTP	OSHA
Ethyl alcohol		64-17-5	Listed	Listed	Listed
Isopropyl Alcohol		67-63-0	Listed	Not listed	Not listed
Methanol		67-56-1	Not listed	Not listed	Not listed
Chronic Effects: Mutagenicity: Teratogenicity:	No evidence of a No evidence of a	mutagenic effect. teratogenic effect (birth	ı defect).		
Sensitization:	No evidence of a	sensitization effect.			
Reproductive:	No evidence of negative reproductive effects.				
Target Organ Effects: Acute: Chronic:	Eyes Eyes				
Section 12		Ec	ological Data		
Overview:	Slight eco	logical hazard. In high	concentrations, this pro	oduct may be dangero	ous to plants and/or

Overview:	wildlife.
Mobility:	This material is expected to have moderate mobility in soil. It absorbs to most soil types.
Persistence:	Biodegradation
Bioaccumulation:	Bioconcentration is not expected to occur.
Degradability:	No data
Other Adverse Effects:	No data

Chemical Name

CAS Number Eco Toxicity

		72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
		48 HR EC50 DAPHNIA MAGNA 13299 MG/L
		48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
		24 HR EC50 DAPHNIA MAGNA 10800 MG/L
		48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC]
Methanol	67-56-1	96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]
2-Propanol	67-63-0	96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L
Water	7732-18-5	No data available
Ethanol	64-17-5	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

Disposal Information

Ethanol, Denatured, 95% Page 3 of 4

Safety Data Sheet

Disposal Methods:

Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s):

If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN1170Ethanol SolutionsClass 3 ³.G. II

Air - IATA Proper Shipping Name: UN1170 **Ethanol Solutions** Class 3 P.G. II

Section 15

Regulatory Information

TSCA Status:	All components in this product are on the TSCA Inventory.					
Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Isopropyl Alcohol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; 2270 kg final RQ	No	No
California Prop 65:			VARNING: Ca vww.P65Warn	ncer and Reproduings.ca.gov	ıctive Harm –	

Section 16		Additional Information
Revised: 08/21/2018	Replaces: 06/27/2018	Printed: 08-24-2018

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act

DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health

Ethanol, Denatured, 95%

Page 4 of 4