

Safety Data Sheet

Phenolphthalein 1%, in Ethanol 95%



Section 1 Product Description

Product Name: Phenolphthalein 1%, in Ethanol 95%
Recommended Use: Science education applications
Synonyms: Alcohol, Ethyl alcohol
Supplier: C2A Sales & Supplies (Barbados) Ltd.
#3 Canewood Road, Jackson, St. Michael, Barbados
Tel: (246) 426-1256

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER



Highly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic if inhaled. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. May cause damage to organs.

GHS Classification:

Flammable Liquid Category 2, Germ Cell Mutagenicity Category 2, Reproductive Toxicity Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2, Acute Toxicity - Inhalation Vapor Category 3, Acute Toxicity - Inhalation Dust / Mist Category 4, Acute Toxicity - Oral Category 4

Other Safety Precautions: IF exposed or concerned: Get medical advice/attention.

Section 3 Composition / Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>	<u>%</u>
Ethyl alcohol	64-17-5	84.9
Water	7732-18-5	5
Isopropyl Alcohol	67-63-0	4.8
Methanol	67-56-1	4.3
Phenolphthalein	77-09-8	1

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact: After contact with skin, wash immediately with plenty of water.
Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Safety Data Sheet

Section 5

Firefighting Procedures

Extinguishing Media:	Use dry chemical, CO2 or appropriate foam.
Fire Fighting Methods and Protection:	Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.
Fire and/or Explosion Hazards:	Fire or excessive heat may produce hazardous decomposition products.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away.
Methods for Clean-up	Ventilate the area by opening door and/or turning on fans and blowers. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7

Handling and Storage

Handling:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed in a cool, well-ventilated place.
Storage Code:	Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

Chemical Name	ACGIH		OSHA PEL	
	(TWA)	(STEL)	(TWA)	(STEL)
Ethyl alcohol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A
Isopropyl Alcohol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA	N/A
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m3 TWA	N/A
Phenolphthalein	N/A	N/A	N/A	N/A

Control Parameters

Engineering Measures:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
Personal Protective Equipment (PPE):	Lab coat, apron, eye wash, safety shower.
Respiratory Protection:	
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection:	Wear chemical splash goggles when handling this product. Have an eye wash station available.
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work
Gloves:	Nitrile

Section 9

Physical Data

Formula: CH3CH2OH	Vapor Pressure: 57.3 hPa at 20°C
Molecular Weight: (Ethanol) 46.07	Evaporation Rate (BuAc=1): 3.3
Appearance: Colorless Liquid	Vapor Density (Air=1): 1.6
Odor: Moderate Alcohol Odor	Specific Gravity: (Ethanol) 0.789 at 20 °C
Odor Threshold: No data available	Solubility in Water: Soluble

Safety Data Sheet

pH: No data available
Melting Point: -114 C
Boiling Point: 79 C
Flash Point: 17 C
Flammable Limits in Air: 3.3 - 19% (Ethanol)

Log Pow (calculated): -0.32
Autoignition Temperature: 363 C
Decomposition Temperature: No data available
Viscosity: No data available
Percent Volatile by Volume: 95%

Section 10

Reactivity Data

Reactivity: Not generally reactive under normal conditions.
Chemical Stability: Stable under normal conditions.
Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other sources of ignition.
Incompatible Materials: Water-reactive materials, Strong oxidizing agents, Acids, Strong reducing agents, Magnesium
Hazardous Decomposition Products: Carbon dioxide
Hazardous Polymerization: Will not occur

Section 11

Toxicity Data

Routes of Entry: Inhalation and ingestion.
Symptoms (Acute): Respiratory Irritation, Dermatitis, Central Nervous System Depression
Delayed Effects: Liver disorders

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
Isopropyl Alcohol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 PPM 8H
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 PPM 4H
Phenolphthalein	77-09-8			

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethyl alcohol	64-17-5	Listed	Listed	Listed
Isopropyl Alcohol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed
Phenolphthalein	77-09-8	Listed	Listed	Listed

Chronic Effects:

Mutagenicity: Evidence of a mutagenic effect.
Teratogenicity: Evidence of a teratogenic effect (birth defect).
Sensitization: No evidence of a sensitization effect.
Reproductive: Evidence of negative reproductive effects.

Target Organ Effects:

Acute: Eyes, Kidneys, Liver, Gastrointestinal tract
Chronic: Eyes, Kidneys, Liver, Gastrointestinal tract

Safety Data Sheet

Section 12

Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.

Persistence: Biodegradation, Adsorbs to soil/solids

Bioaccumulation: Bioconcentration is not expected to occur.

Degradability: No data

Other Adverse Effects: No data

Chemical Name

Ethanol

Water

2-Propanol

Methanol

CAS Number

64-17-5

7732-18-5

67-63-0

67-56-1

77-09-8

Eco Toxicity

96 HR LC50 LEPOMIS MACROCHIRUS 13500 - 17600 MG/L [FLOW-THROUGH]

96 HR LC50 ONCORHYNCHUS MYKISS 18 - 20 ML/L [STATIC]

96 HR LC50 ONCORHYNCHUS MYKISS 19500 - 20700 MG/L [FLOW-THROUGH]

96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

96 HR LC50 PIMEPHALES PROMELAS 28200 MG/L [FLOW-THROUGH]

96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 MG/L

96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]

96 HR LC50 PIMEPHALES PROMELAS 9640 MG/L [FLOW-THROUGH]

No data available

96 HR LC50 PIMEPHALES PROMELAS 13400 - 15100 MG/L [FLOW-THROUGH]

96 HR LC50 ONCORHYNCHUS MYKISS 12 - 16 ML/L [STATIC]

48 HR EC50 DAPHNIA MAGNA 13299 MG/L

48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC]

24 HR EC50 DAPHNIA MAGNA 10800 MG/L

48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L

72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

Section 13

Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN1170 Ethanol Solutions Class 3 P.G. II

Air - IATA Proper Shipping Name:

UN1170

Ethanol Solutions

Class 3

P.G. II

Safety Data Sheet

Section 15

Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Isopropyl Alcohol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; 2270 kg final RQ	No	No
Phenolphthalein	77-09-8	Phenolphthalein	No	No	No	No

California Prop 65:



WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Section 16

Additional Information

Revised: 04/12/2024

Replaces: 04/20/2020

Printed: 01-17-2025

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. C2A Sales & Supplies (Barbados) Ltd. makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act
N/A	Not Available	SARA	Superfund Amendments and Reauthorization Act
		TLV	Threshold Limit Value
		TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health